

# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/GB05/001227

International filing date: 29 March 2005 (29.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: GB  
Number: 0417875.2  
Filing date: 11 August 2004 (11.08.2004)

Date of receipt at the International Bureau: 18 May 2005 (18.05.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



GB05/1227



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed *AmBrewer*

Dated 26 April 2005



Patents Form 1/77

Patents Act 1977  
(Rule 16)THE PATENT OFFICE  
DL

11 AUG 2004

RECEIVED BY FAX

11AUG04 E918099-1 002246  
P01/7700 0.00-0417875.2 ACCOUNT CHA

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ**Request for grant of a patent**

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

## 1. Your reference

P021005GB

## 2. Patent application number

(The Patent Office will fill in this part)

0417875.2

11 AUG 2004

## 3. Full name, address and postcode of the or of each applicant (underline all surnames)

INTELLPROP LIMITED  
PO BOX 626  
NATIONAL WESTMINSTER HOUSE  
LE TRUCHOT ST PETER PORT  
GUERNSEY

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

6894604001  
A GUERNSEY COMPANY

## 4. Title of the invention

TELECOMMUNICATIONS SERVICES APPARATUS AND METHOD

## 5. Name of your agent (if you have one)

D Young &amp; Co

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

21 New Fetter Lane  
London  
EC4A 1DA

Patents ADP number (if you know it)

59006 /

## 6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)Date of filing  
(day / month / year)

GB

0407009.0

29 March 2004

## 7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

## 8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

Yes

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

0113515 11-Aug-04 05:01

# Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form.  
Do not count copies of the same document

Continuation sheets of this form NONE

Description 7

Claim(s) 0

Abstract 0

Drawing(s) 2 only

10. If you are also filing any of the following, state how many against each item.

Priority documents 0

Translations of priority documents 0

Statement of inventorship and right to grant of a patent (Patents Form 7/77) 1 ✓

Request for preliminary examination and search (Patents Form 9/77) 0

Request for substantive examination (Patents Form 10/77) 0

Any other documents (please specify) Facsimile Letter Dated 11 August 2004 ✓

11.

I/We request the grant of a patent on the basis of this application.

Signature *D Young & Co*  
D Young & Co (Agents for the Applicants)

Date 11 August 2004

12. Name and daytime telephone number of person to contact in the United Kingdom

Dr Jonathan DeVile

023 8071 9500

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

## Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Patents Form 1/77

**TELECOMMUNICATIONS SERVICES APPARATUS AND METHOD**

This invention concerns the field of mobile telecommunications and in particular the areas of voice and text communication. The invention discloses a technique whereby  
5 mobile terminated text services may be selectively offered on existing mobile telephone networks. The invention is applicable in particular to the GSM mobile telephony system, although in principle the technique could be applied to other types of mobile network. GSM is well defined and specified by international standards, which define the functional blocks and the signalling messages that pass between  
10 them.

The present application acknowledges Prior art GB 0128721.8, and extends it to cover application to 'class of service', i.e. the provision of features selectively according to configuration or provisioning, as well as location privacy and usage privacy. In particular it is envisaged that advanced services could be made available to all  
15 customers or could be selectively made available to premium customers by means of a 'class of service' setting in the HLR.

The invention will now be described in the context of a text messaging service. GSM provides the Short Message Service (SMS) facility which allows short text messages  
20 to be sent between mobile stations. Message transmission occurs in two stages, the first being transmission of the message from the originating handset to a short message service centre (SMSC). Secondly, the SMSC then forwards the message to the destination mobile station. If the destination mobile station is unavailable then the SMSC stores the message and retries delivery later.

25 The GSM short message service is extremely popular and carries ever increasing levels of traffic world-wide. A large proportion of this traffic is ephemeral. However in some cases it would be desirable to be able to keep a permanent record of short messages, either sent or received, to divert messages to an alternative destination, to  
30 copy messages to a second destination, to copy messages to email, to screen messages against Spam, etc. With the present GSM system this is not possible, because in some

circumstances messages to not even pass through the home network. The present invention facilitates all of these benefits and opens up the possibility of many new types of service with both GSM text messages and voice calls, and which can be applied selectively to certain customers, or to all customers if required. Examples of  
5 uses for this invention include:

- Sending copies of Short Messages either transmitted or received by a subscriber to an email system for archiving purposes.
- Diversion of SMS to an alternative handset or to an equipment, e.g. for voice read-back.
- 10 • Lawful interception of SMS.
- Interception of incoming or outgoing voice calls for a subscriber for the purpose of, for example, recording the call.
- Providing location privacy for recipients
- Anti-Spam protection
- 15 • Access to diverted messages
- Access to messages from other means, e.g. fixed networks or email

It is known that fixed telephone exchanges offer a class of service facility whereby the set of service features offered on a particular line is configurable.

20

It is known that short messages may be archived by transferring them from the handset into a computer using a data link and specialised software. However this process is slow and inconvenient.

25 It is known that Signalling Transfer Points (STPs) or Global Title Translators (GTTs) in the network are programmed to do address translation between global addresses and the addresses of specific equipments or groups of equipments. The STPs/GTTs provide a level of indirection in network addressing.

30 It is desired to obtain access to the Short Messages delivered to or transmitted by some or all subscribers of a given network, or to obtain access to the audio of all calls

involving subscribers of a given network, by arranging for these communications to pass through an equipment or group of equipments. As will be described, access to mobile originated messages is straightforward using known techniques, but access to mobile terminated messages is not possible in a traditional network architecture. For

5 voice calls, diversion of outgoing calls via an equipment is currently possible by the subscriber dialling a special number or code which causes the network to route the call accordingly. However diversion of incoming calls through an equipment is not straightforward. The present invention allows access to mobile terminated messages, and to incoming calls, in a way that can be operated selectively per subscriber. The

10 ability to direct all messages or voice calls through equipment in the home network is very powerful and opens the possibility of a whole range of new applications.

The invention is now described in the context of Short Messages.

15 Two types of message need to be considered: those that are mobile originated, i.e. sent by the subscriber and those that are mobile terminated, i.e. received by the subscriber. In the mobile originated case, it is known that all messages sent by the subscriber will be delivered to the Short Message Service Centre (SMSC) address in his home network. It is also known that Signalling Transfer Points (STPs) or Global Title

20 Translators (GTTs) can be programmed to route all mobile originated messages sent to this address through an equipment for processing prior to being delivered, either directly to the destination or to the SMSC.

A suitable equipment for implementing the message processing is a Telsis SMS

25 Router.

The global GSM system consists of a number of GSM networks. The network on which a subscriber is registered is known as his "home" network. When a subscriber sends a text message, the message is always delivered in the first instance to an

30 equipment in his home network, typically an SMS Router or a Message Centre (SMSC). Delivery to an SMS Router is normally achieved by arranging for the SMS Routers in the network to take on the Global Title of the SMSCs, thereby receiving all



of the MO messages addressed to an SMSC. This is the case even when the subscriber is roaming on another network. The SMS Router then queries the Home Location Register (HLR) of the destination subscriber's network and the message is then forwarded accordingly.

5

The global address of a Message Centre is normally programmed into the subscriber's handset. This global address is interpreted by STPs or GTTs in the GSM network in order to deliver the message to the appropriate equipment. The GSM network messaging involved in delivering a mobile originated message to an SMSC is shown in Figure 1. The GSM network messaging involved in delivering a mobile originated message to an SMS Router is shown in Figure 2.

10

The mobile terminating case is more difficult because there is no guarantee that in normal circumstances messages delivered to a subscriber's handset will pass through the subscriber's home network at all. It is known that in order to deliver a message to a subscriber, a query must be made to the HLR of the subscriber's home network in order to determine the current location of the subscriber. In the case of short messages this query is known as "send routing information for short message" or SRI\_SM. It is also known that STPs or GTTs can be programmed to route signalling messages to an alternative destination. In some cases it is possible to divert SRI\_SM messages (and the SRI equivalent messages to voice calls) without diverting other types of messages. The present invention may make use of this diversion to send SRI\_SM messages to the SMS Router.

15

20

Alternatively and in the preferred embodiment, the HLR can be programmed to forward some or all SRI\_SMs to the SMS Router, excluding those arriving from an SMS Router. The messages so routed depend on the Class of service for the recipient, which is preferably stored as a field in the HLR. This is a key aspect of the present invention. The SMS Router is then able to reply to these queries on behalf of the HLR, while also itself querying the HLR to determine the true location of the recipient. However instead of returning the true location of the subscriber the SMS Router can return its own location in the response to the SRI\_SM. The effect of this is that the

30

short message will be delivered not to the subscriber but to the SMS Router. This is true regardless of the current locations of either the sender or the recipient. The SMR Router is then able to implement any desired processing on the text message for example archiving to email, before finally optionally forwarding the message onto the  
5 actual location of the subscriber as indicated by the HLR. This behaviour is illustrated in Figure 3 and the corresponding ladder diagram in Figure 4.

In Figure 4, the HLR query (2) is shown being made immediately the SRI\_SM message arrives at the SMS Router. In practice, since the HLR response is not used  
10 until step (5), the HLR query may be delayed until after step (3), or delayed until after step (4). The reply may be sent before or after the HLR is queried, and before or after the HLR response is received. In practice, if the application being performed requires that the HLR query depend in some way on the content of the Short Message itself, such as is the case for SMS Divert, then it is preferable to delay the HLR query until  
15 after step 4. This configuration is illustrated in Figure 5.

The combined effect of using the presently known technique for mobile originated SMS and SRI\_SM response manipulation for mobile terminated SMS is that all messages to and from a subscriber may be caused to pass through an SMS Router  
20 before reaching their destination. The SMS Router is capable of acting on the contents or addresses within the message to provide additional intelligent functionality in the network such as grooming, and in conjunction with an associated processor interface and store, for providing services such as message archiving, or anti-Spam protection.

25 The class of service field in the HLR may be used directly to control which SRI\_SMs are passed to an SMS Router for manipulated response, hence controlling which customers obtain a special class of service for their MT messages. For MO messages, the SMS Routers in the MO path may also query the HLR to determine whether a special class of service should be applied to these messages. This need not involve any  
30 additional HLR traffic, since in a direct delivery application the MO SMS Router is already querying the HLR for reasons of number portability and A-party credit check.

Very similar techniques can be used for voice calls. Instead of the SRI-SM message used for SMS, voice calls are delivered to the correct mobile station using an SRI message (Send Routing Information) directed at the HLR. If the STPs are programmed to divert SRI messages to the SMS Router, or the HLR itself is programmed to  
5 selectively route these messages on to an SMS Router, then the same principle can be used to cause incoming voice calls to be diverted via, for example, call screening equipment, a recording equipment which could make a recording in the manner described in UK Patent application number 0024733.8, or any other enhanced voice service. Outgoing voice calls may be diverted to the equipment by known techniques,  
10 for example the use of short dialling prefixes. For outgoing calls the equipment may query the HLR to determine the required or permitted class of service.

Text message delivery is unique in that messages are traditionally stored in Service Centres (SMSCs) in the sender's network. If the sender is a subscriber of a foreign network, then the message is stored in an SMSC outside of the recipient's network. In  
15 the normal course of message delivery, the foreign SMSC queries the recipient's HLR, and obtains the recipients IMSI and current location, or an indication that the subscriber is absent. This information may violate the recipient's desire for privacy, especially if he is travelling. The described invention overcomes this privacy issue by always returning the address of an SMS Router as the location of the subscriber, for  
20 those recipients who have the necessary class of service set in the HLR. Redirection of a mobile terminated message to an SMS Router in the recipient's network provides privacy, because the foreign SMSC is always told that the recipients 'location' is the SMS Router. No information is therefore provided to a foreign network that discloses the recipient's real location.

25 Routing via the home network opens the possibility of providing advanced applications and management for the recipient's messages, since for those recipients who have a suitable class of service provisioned in their HLR record, all MT messages will be delivered via the home network's SMS Router, even when the subscriber is roaming. The HLR's class of service feature allows this facility to be selectively  
30 offered to some or all customers. MO messages may also be handled according to the class of service by arranging for the SMS Router to query the HLR.

MT message delivery via the home network is seen as a vital component of future messaging services and is key to providing the recipient with control over his message management. The addition of selective HLR control of MT message delivery via the home network provides a class of service capability that allows an operator to offer  
5 advanced services to some or all customers. Such services include Divert, Copy, Log, Anti-Spam and location Privacy.




1/2




5

Figure 1 Normal delivery of mobile originated message to SMSC



10

Figure 2 Intercepted delivery of mobile originated message




15

Figure 3 Intercepted delivery of mobile terminated message



2/2



5

Figure 4 Ladder Diagram of Intercepted mobile-terminated message



